

Steel designations

Currency / tonne

Updated:2025-02-21

Outokumpu	EN	ASTM	EUR	SEK
<b>Moda</b>				
Moda 410S/4000	1.4000	410S	920	10462
Moda 410L/4003	1.4003	410L	947	10765
Moda 430/4016	1.4016	430	1067	12133
Moda 439/4510	1.4510	439	1059	12041
Moda 409/4512	1.4512	409	908	10329
Moda 430Ti/4520	1.4520		1075	12221
Moda 4589	1.4589		1294	14716
<b>Core</b>				
Core 434/4113	1.4113	434	1520	17285
Core 304/4301	1.4301	304	2101	23900
Core 305/4303	1.4303	305	2510	28542
Core 304L/4306	1.4306	304L	2299	26150
Core 304L/4306Ni	1.4306Ni		2490	28323
Core 304L/4307	1.4307	304L	2101	23900
Core 301/4310	1.4310	301	1985	22578
Core 302/4310	1.4310(302)	302	2031	23095
Core 301/4310 Mo	1.4310Mo	301Mo	2256	25658
Core 304LN/4311	1.4311	304LN	2239	25462
Core 304N/4315	1.4315	304N	2181	24806
Core 301LN/4318	1.4318	301LN	1868	21242
Core 441/4509	1.4509	441	1340	15236
Core 436/4513	1.4513	436	1616	18375
Core 321/4541	1.4541	321	2272	25840
Core 347/4550	1.4550	347	2478	28184
Core 4622	1.4622		1745	19842
Core 301Cu/4640	1.4640		2072	23560
<b>Supra</b>				
Supra 316/4401	1.4401	316	3484	39625
Supra 316L/4404	1.4404	316L	3484	39625
Supra 316LN/4406	1.4406	316LN	3484	39625
Supra 316plus	1.4420		2717	30896
Supra 316L/4427	1.4427	316F	3457	39317
Supra 316LN/4429	1.4429	S31653	3933	44731
Supra 316L/4432	1.4432	316L	3881	44137
Supra 316L/4435	1.4435	316L	3922	44602
Supra 316/4436	1.4436	316	3806	43289
Supra 444/4521	1.4521	444	2210	25131
Supra 316Ti/4571	1.4571	316Ti	3525	40093
<b>Forta</b>				
Forta LDX 2101	1.4162	S32101	1607	18274
Forta DX 2304	1.4362	S32304	2100	23879
Forta H400	1.4376		1527	17370
Forta SDX 2507	1.4410	S32750	3948	44908
Forta DX 4417	1.4417	S31500	2929	33312
Forta DX 2205	1.4462	S32205	3327	37840

Outokumpu	EN	ASTM	EUR	SEK
<b>Forta</b>				
Forta SDX 100	1.4501	S32760	3869	44001
Forta LDX 2404	1.4662	S82441	2467	28054
Forta FDX 27	FDX 27	UNS S82031	2063	23467
Forta H1000	H1000		946	10755
Forta H500	H500		946	10755
Forta H800	H800		946	10755
<b>Ultra</b>				
Ultra 3964	1.3964		4595	52261
Ultra 316L/4430	1.4430	316LSi	3686	41921
Ultra 317L	1.4438	317L	4491	51083
Ultra 725LN	1.4466	S31050	4853	55193
Ultra 6XN	1.4529	N08926	7098	80724
Ultra 904L	1.4539	904L	6187	70373
Ultra 254 SMO	1.4547	S31254	6262	71225
Ultra 654 SMO	1.4652	S32654	7257	82534
Ultra Alloy 825			7398	84136
<b>Dura</b>				
Dura 420/4021	1.4021	420	966	10990
Dura 4024	1.4024		966	10990
Dura 420/4028	1.4028	420	966	10990
Dura 420/4031	1.4031		977	11115
Dura 420/4034	1.4034	420	980	11146
Dura 4034.26	1.4034		1028	11692
Dura 4110	1.4110		1300	14787
Dura 4116	1.4116		1258	14307
Dura 4120	1.4120		1398	15899
Dura 4122	1.4122		1636	18605
Dura 4313	1.4313	S41500	1706	19405
Dura 248SV/4418	1.4418	S16880	2193	24938
Dura 4419	1.4419		1402	15947
Dura 17-4PH	1.4542	630 17-4PH	2005	22799
Dura 17-7PH	1.4568	631	1957	22260
Dura 15-7PH	1.4574		2944	33488
Dura 6908	1.6908		4300	48903
Dura 14-7PH			2137	24301
Dura 15-5PH			1886	21445
<b>Therma</b>				
Therma 4713	1.4713		781	8878
Therma 4724	1.4724		948	10782
Therma 4742	1.4742		1085	12339
Therma 153 MA	1.4818	S30415	2161	24573
Therma 4828	1.4828		2643	30063
Therma 309S/4833	1.4833	309S	2758	31367
Therma 253 MA	1.4835	S30815	2427	27607
Therma 314/4841	1.4841	314	3756	42713

Steel designations

Currency / tonne

**Updated:2025-02-21**

Outokumpu	EN	ASTM	EUR	SEK
<b>Therma</b>				
Therma 310S/4845	1.4845	310S	3635	41347
Therma 353MA	1.4854	S35315	5289	60159
Therma 321H/4878	1.4878	321H	2275	25870
Therma 304H/4948	1.4948	304H	2131	24231
<b>Prodec</b>				
Prodec 303/4305	1.4305	303	2101	23900